

PowerScan™ 9600 Series

Accessory guide

**When top flexibility
meets extreme
reliability**



FOCUS ON THE NEW POWERSCAN 9600 SERIES

The PowerScan family of barcode readers is the ultimate industrial handheld scanners, designed and constructed to withstand the toughest environmental conditions.

The new PowerScan 9600 scanners – available in corded or cordless models – are designed to enhance productivity and efficiency through best-in-class scanning performances and a reduced total solution cost.

The new PowerScan 9600 Series complements Datalogic's leading range of industrial scanners, readers, data capture and process automation devices, which are enabling Industry 4.0 initiatives worldwide.

STANDARD RANGE AND AUTO RANGE SERIES



PowerScan 9600 series,

the best-in-class ultra-rugged handheld scanner, Standard Range and High Performance, is now empowered with the 1D/2D **Auto Range series** with extra-long range capabilities, targeting mainly applications in warehouses where the operator can scan a picklist or a pallet at very short scanning distances up to very far barcodes located on the highest racks with the same device.


PowerScan 9600 is available in a full suite of products:

- Corded desk models (PD9600)
- Cordless models with Datalogic's STAR 433 MHz Cordless System™ 2.0 proprietary radio (PM9600) and display options
- Cordless Bluetooth® 5.0 models (PBT9600)




ULTRA-ROBUST DESIGN

New ultra-robust design and top-class IP ratings. Designed to resist more than 50 drops at 2.5 m / 8.2 ft and is sealed to IP67 and IP65



CONNECTIVITY

USB and RS-232 Multi-interface, Ethernet and Industrial Ethernet embedded. Easy system integration



MODULARITY

Modular design allows interface expansion to both cordless and corded devices



INDUCTIVE, CONTACTLESS CHARGING TECHNOLOGY

Battery contacts and pins often get dirty, bent, or broken. Wireless charging technology removes a key point of failure in Industrial and Retail functions



DPX SERIES

PowerScan 9600 DPX series

is the industrial handheld solution for traceability of DPM and label-based codes, targeting mainly traceability applications in Automotive, Aerospace, Tires and Electronics but used also in Healthcare for medical device tracking in hospitals.

The Datalogic 4D autolearning system automatically sets up the best acquisition parameters and decoding algorithms, without the need to configure the scanner for every application.



CENTER OF GRAVITY DESIGN

The new scanner has a well-balanced weight reducing fatigue on the operator's wrist



DESIGNED FOR MOBILITY

The Datalogic STAR radio is a narrow band two-way radio that allows no interference with existing systems like Wi-Fi or Bluetooth®



OLED DISPLAY

New OLED display with selectable dark on white or white on dark backgrounds for better visibility



RADIO RANGE HIGH/LOW SPEED TO OPTIMIZE TX SPEED/RANGE



The new antenna design allows the user to reach twice the radio range with respect to the existing PowerScan 9500 series

POWERSCAN 9600 FAMILY OVERVIEW

The PowerScan family of barcode readers is the ultimate industrial handheld scanners, designed and constructed to withstand the toughest environmental conditions.

The new PowerScan 9600 scanners – available in corded or cordless models – are designed to enhance productivity and efficiency through best-in-class scanning performances and a reduced total solution cost.

The new PowerScan 9600 Series complements Datalogic's leading range of industrial scanners, readers, data capture and process automation devices, which are enabling Industry 4.0 initiatives worldwide.

	SR STANDARD RANGE	HP HIGH PERFORMANCE
CORDED		
CORDLESS	  	  
DISPLAY/KEYPAD		 
CRADLES	       	       

VIEW



DC

DOCUMENT CAPTURE




AR

AUTO RANGE




DPX

DIRECT PART MARKING




POWERSCAN 9600 ACCESSORIE


Scanners & Kits




Base Stations/Chargers




Connection Modules



Scanners & Kits - Examples



Base Stations/Chargers - Examples



Connection Modules - Examples



POWERSCAN 9600 ACCESSORIE

					
Category	Batteries/Battery Chargers	Batteries/Battery Chargers	Batteries/Battery Chargers	Batteries/Battery Chargers	Case/Holsters
Part number	MC-P096-E2	MC-P096-M2	MC-P096-M4	RBP-PM96	HLS-P080
Description	Multi Battery Charger, Extension, 2-Slot, use with MC-P096-Mx Master modules	Multi Battery Charger, Master, 2-Slot (requires the 90ACC0350 power supply)	Multi Battery Charger, Master, 4-Slot (requires the 90ACC0350 power supply)	Battery Pack, Removable, PowerScan 9600	Holster, Universal, HLS-8000

					
Category	SD9030 Dongle	Cables	Cables	Cables	Cables
Part number	SD9030-433/SD9030-910	CAB-548	CAB-549	CAB-551	CAB-552
Description	USB Dongle for Datalogic STAR Cordless Systems (for PM9600 devices only)	Cable CAB-548, RS-232 PWR, 9P, Female, Straight, 2 m / 6.5 ft, IP67	Cable CAB-549, RS-232 PWR, 9P, Female, Coiled, 2.4 m / 7.8 ft, IP67	Cable CAB-551, USB Type A, PWR, Straight, 2 m / 6.5 ft, IP67	Cable CAB-552, USB Type A, Straight, 2m / 6.5 ft, IP67

					
Category	Cables	Cables	Cables	Power Supplies/Cords	Power Supplies/Cords
Part number	CAB-563	CAB-564	CAB-ADPT-P096	6003-0923	6003-0924
Description	Cable CAB-563, PWR, USB Type A, 2m / 6.5 ft, IP67	Cable CAB-564, USB Type A, Straight, 3.6 m / 11.8 ft, IP67	Cable adapter Kit, PowerScan 9600 Adapter for old cables (contains 20 adapters)	Power Cord, 240V, UK	Power Cord, 220V, Italy/Chile

					
Case/Holsters	Mounts/Stands	Mounts/Stands	Mounts/Stands	Mounts/Stands	Take-Up Reel
PC-P096	HLD-P096	STD-P096	VMK-P096	94ACC0266	7-0404
Protective Case/Belt Holster, PowerScan 9600	Holder, Desk/Wall Mount, PowerScan 9600	Stand, Hands-free, PowerScan 9600	Vehicle Mount, Kit, PowerScan 9600	PowerScan 9600 holder for Vehicle mount computer Rhino II	Industrial Take Up Reel

						
Cables	Cables	Cables	Cables	Cables	Cables	Cables
CAB-553	CAB-557	CAB-558	CAB-559	CAB-560	CAB-561	CAB-562
Cable CAB-553, USB Type A, Coiled, 2.4 m / 7.8 ft, IP67	Cable CAB-557, RS-232 PWR, 9P, Female, Coiled, 3.6 m / 11.8 ft., IP67	Cable CAB-558, RS-232 PWR, 9P, Female, Straight, 2 m / 6.5 ft., IP67	Cable CAB-559, RS-232 POT@9, 9P, Female, Coiled, 2.4 m / 7.8 ft., IP67	Cable CAB-560, PWR, USB Type A, Coiled, 3.6 m / 11.8 ft, IP67	Cable CAB-563, USB Type C, 2m / 6.5 ft, IP67	Cable CAB-562, USB Type A, PWR, Straight, 4.5m / 14.7 ft, IP67

					
Power Supplies/Cords	Power Supplies/Cords	Power Supplies/Cords	Power Supplies/Cords	Power Supplies/Cords	Power Supplies/Cords
6003-0925	6003-0926	6003-0940	6003-0941	8-0935	90ACC0350
Power Cord, 220V, Australia	Power Cord, IEC C13, Argentina	Power Cord, AC, IEC/EU	Power Cord, 110V, US, Standard	Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXX)	Power Supply, Switching, 12V, 5A (For Use with 6003-XXXX Power Cords)

NOTES

NOTES

